

	Type	Hits	Search Text	DBs
1	BRS	451686	memory to memory	USPAT
2	BRS	0	"memory to memory"	USPAT
3	BRS	17384	memory adj memory	USPAT
4	BRS	0	memory adj memory adj instruction adj set	USPAT
5	BRS	9	memory adj memory adj instruction	USPAT
6	BRS	73502	memory near2 memory	USPAT
7	BRS	59	(source near2 memory) same (source near2 register) same (destination near2 memory)	USPAT
8	BRS	0	memory adj to adj memory	USPAT
9	BRS	17384	memory adj memory	USPAT
10	BRS	96	(memory adj memory) near2 instruction	USPAT
11	BRS	208	(memory adj memory) near2 instruction	USPAT
12	BRS	0	(memory adj memory) near2 (add adj instruction)	USPAT
13	BRS	3	(memory adj memory) with (add adj instruction)	USPAT
14	BRS	342	"memory-to-memory"	USPAT
15	BRS	189	"memory-to-memory" and (add)	USPAT
16	BRS	27	"memory-to-memory" and (add adj instruction)	USPAT
17	BRS	0	"6112019.pn"	USPAT
18	BRS	1	"6112019".pn.	USPAT
19	BRS	1	"6112019".pn.	USPAT
20	BRS	51	(memory adj source) with memory adj destination	USPAT
21	BRS	18625	fixed adj length	USPAT
22	BRS	280	fixed adj length adj instruction	USPAT
23	BRS	15	benefit\$3 or advantag\$3) with(fixed adj length adj instruction	USPAT
24	BRS	1	"5394529".PN.	USPAT
25	BRS	1	"5317740".PN.	USPAT
26	BRS	9189	RISC	USPAT
27	BRS	239	benefit\$3 or advantag\$3) with((fixed adj length adj instruction)or RISC	USPAT
28	BRS	44	benefit\$3 or advantag\$3) with((fixed adj length adj instruction)or RISC and "32"	USPAT

	Type	Hits	Search Text	DBs
29	BRS	33	benefit\$3 or advantag\$3) with((fixed adj length adj instruction)or RISC and "32" near2 bit	USPAT
30	BRS	1	"4777587".pn.	USPAT
31	BRS	427	712/221,222.ccls.	USPAT
32	BRS	19516	memory adj memory	USPAT
33	BRS	0	"memory to memory"	USPAT
34	BRS	373	"memory-to-memory"	USPAT
35	BRS	1	"4777587".pn.	USPAT
36	BRS	813	fixed with length with instruction	USPAT
37	BRS	5	fixed with length with instruction with decode near2 decod\$3	USPAT
38	BRS	15	sign adj extend\$4 near2 memory	USPAT
39	BRS	125	truncat\$3 near2 memory	USPAT
40	BRS	12	truncat\$3 adj result with memory	USPAT
41	BRS	475	truncat\$3 adj result\$3	USPAT
42	BRS	1	encod\$3 adj operand adj size	USPAT
43	BRS	64	operand adj size adj prefix	USPAT
44	BRS	5	operand adj size adj field	USPAT
45	BRS	1	"4745544".pn.	USPAT
46	BRS	1	"6766515".pn.	USPAT
47	BRS	1	"6718360".pn.	USPAT
48	BRS	1	"20030037228"	US- PGPUB; USPAT
49	BRS	1	"6493741".pn.	US- PGPUB; USPAT
50	BRS	259	712/220.ccls.	USPAT
51	BRS	374	712/210.ccls.	USPAT
52	BRS	208	712/24.ccls.	USPAT
53	BRS	72	712/21.ccls.	USPAT
54	BRS	133	712/41.ccls.	USPAT
55	BRS	176	712/204.ccls.	USPAT
56	BRS	289	712/300.ccls.	USPAT

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	4	fotland.in. and david.in.	USPAT
2	BRS	L2	10	fotland.in. and david.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
3	BRS	L3	1	tibet.in. and mimar.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
4	BRS	L18	192	(roger.in. and arnold.in.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
5	BRS	L19	0	(roger.in. and arnold.in.) and ALU	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
6	BRS	L20	10	(roger.in. and arnold.in.) and multiplexer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB